



1.

	.	.	
50	.	.	50
50	.	.	20
			1
			1; 1,2; 1,5; 2; 2,5; 3
()			1; 1,2; 1,5; 2; 2,5; 3
	/	²	250
	/	²	200

2.

	,	-
50 - 4 .	15,94	
50 - 2 .	8,24	
50 - 1 .	4,23	
50 - 1,2 .	4,9	
50 - 1,5 .	5,89	
50 - 2 .	7,56	
50 - 2,5 .	9,29	
50 - 3 .	10,9	
50	9	
50	9	
6 .	17,3	
3 .	8,7	
	10	
	15	
	1,5	
50 L= 0,5	2,2	
50 L=2 (2)	5,55	
50	1,5	

50 -

"

"

4 2

.(

.)



50 -



50




50 -

arendalulek.ru



6 (3.)



arendalulek.ru



c



*

()





3.

()

4.

1.

- 1)
- 2)
- 3)
- 4)

5)

(12-03-2001, 12.3.033-84, 27321-87, 24258-88 . .) .


2.

3.

Монтаж лесов следует производить, начиная от угла здания, соблюдая при этом последовательность установки отдельных элементов.

I

()




II

(- -)


90

!!!




II

2




III



25 - 30

50

!!!



5.

1.

(,)

2.

()

1.

;

2.

;

3.

;

4.

;

5.

;

6.

!

!

1.

2.

3.

4.

(
):

-

-

*

6.

arendalulek.ru

5

12-03-2001

-012-2000

7.

(
).

(, , . .)

2-

4

4

15150-69.

4366 - 75 (

).

50

12

arendalulek.ru